

i GENERAL DESCRIPTION

PETOL 120-2-Grad FDA is a high purity polyoxypropylene glycol, homopolymer diol with an average molecular weight of 935, non-acidified quality.

FDA status: The FCS components of Petol 120-2-FDA Grade are accepted for use in articles that come into contact with food in accordance with regulation 21 CFR 175.105 Adhesives, and do not require FDA notification.

Q TECHNICAL QUALITY CONDITIONS

No.	Characteristics	M.U.	Values	Test methods
1	Appearance	-	Clear viscous liquid	visual
2	Hydroxyl value	mg KOH/g	110 - 130	ASTM D 4274
3	Acid value (BBT), max.	mg KOH/g	0.05	ILL 003/3-23
4	Viscosity, at 25°C	cP	100 - 180	ASTM D 4878
5	Water (Karl-Fischer), max.	%	0.05	ASTM E 203
6	Hazen color, max.	Hazen units	50	SR ISO 2211
7	Sodium and potassium content	ppm	10	ILL 003/3-12

🧪 APPLICATIONS

- viscosity and functionality reducer agent in mixtures of polyols;
- non-cellular polyurethane products (elastomers, adhesives, coatings);
- food industry;
- pharmaceutical industry;
- cosmetics industry.

📄 GENERAL CHARACTERISTICS

Specific Properties	Values
Density at 25°C, g/cm ³	1.003
Flash point, °C, min.	200
Functionality	2

The specific properties provided reflect approximate values and serve as general information that is not included in the technical quality conditions.

📦 PACKING

The product is packed in stainless steel or coated rail or car tanks, in TDA double-pickled sheet drums of 200 l or IBCs (HDPE), property of the supplier or client.

🏠 STORAGE

Due to its hygroscopic nature, the product is stored in tightly closed containers under nitrogen blanket, in cold, dry, vented areas, far from heat, moisture, direct sunlight and incompatible materials, at temperatures between +20°C and +30°C.

🚚 TRANSPORT

ADR: Petol 120-2-FDA Grade is not classified under ADR regulations.

RID: Petol 120-2-FDA Grade is not classified under RID regulations.

Maritime transport IMDG: Petol 120-2-FDA Grade is not classified under IMDG regulations.

! Methods for measuring the technical characteristics are available on request

All informations contained in this product data sheet is provided for your consideration, research and verification. For a better suitability of the product to your purpose, we recommend you carry out tests before using the product. We advise you to have your own decisions regarding safety, proper handling, storage, use and disposal. We expressly disclaim any liability for any loss, damage or expense resulting from reliance on the information provided herein. For more information, please refer to our safety data sheet.